## Claims

We claim:

1. A compound of the formula 1:

wherein

- R is chosen from semicarbazone, thiosemicarbazone, hydrazone, *tert*-butylhydrazone, phenylhydrazone, 2,4-dinitrophenylhydrazone, 4-methoxyphenylhydrazone, 3-methoxyphenylhydrazone, 4-nitrophenylhydrazone, benzylhydrazone, methanesulfonylhydrazone, benzenesulfonylhydrazone, 4-methylbenzenesulfonylhydrazone, benzoylhydrazone, 4-nitrobenzoylhydrazone, carbohydrazone, benzyloxime and acetoxime.
- 2. The compound of claim 1, wherein R is chosen from semicarbazone, hydrazone, *tert*-butylhydrazone, carbohydrazone, benzyloxime and acetoxime.
  - 3. A histone deacetylase inhibitor comprising a compound according to claim 1.
  - 4. An anti-tumor composition comprising a compound according to claim 1.
- 5. A method for treating or preventing tumor comprising administrating a therapeutically effective amount of a compound according to claim 1.

LEE et al.

6. A method for producing a compound according to claim 1, wherein the method comprises the step of reacting apicidin (represented by formula 2):

with a hydrazine, a carbazide or an amine, in the presence of an acid or a base.

- 7. The method of claim 6, wherein the step or reacting apicidin with the chosen compound involves the use of methanol or ethanol as a reaction solvent.
  - 8. The method of claim 6, wherein the base is chosen from triethylamine or pyridine.
  - 9. The method of claim 6, wherein the acid is acetic acid.
  - 10. The method of claim 7, wherein the base is chosen from triethylamine or pyridine.
  - 11. The method of claim 7, wherein the acid is acetic acid.